



Item

1206

Compound

Vibram®TRONT

Size / Thickness

USA  FR  UK  37 38,5 40,5 42 43,5 45,5 47

Production



Sheet dimension

Number of pairs



Vibram®
Multitraction
Lug
TRACTION



Undercut Hell
BRAKING



Toe-Bumper
PROTECTION



Product innovation and design provided by Vibram® are protected by patent and copyright law for the brands we serve and their wholesale manufacturers. Vibram® protects original designs from counterfeiting and imitations.






- 1** Large contact area for GRIP ON ROCKY SURFACES
- 2** Engraved shank for better GRIP ON UNEVEN GROUND
- 3** Vibram®Multitraction lugs for 360° PERFORMANCE
- 4** Very thin bottom for REDUCED WEIGHT




Vibram®Multitraction lug for TRACTION



Undercut heel for SECURE BRAKING



Toe-bumper for foot PROTECTION AND GRIP



Asymetrical heel for NATURAL TOUCH-DOWN


-  GRIP
-  TRACTION
-  BRAKING
-  CUSHIONING
-  STABILITY
-  SELF-CLEANING



Product innovation and design provided by Vibram® are protected by patent and copyright law for the brands we serve and their wholesale manufacturers. Vibram® protects original designs from counterfeiting and imitations.

Dimensions

Note: All units are in millimeters unless otherwise indicated.



Product innovation and design provided by Vibram® are protected by patent and copyright law for the brands we serve and their wholesale manufacturers. Vibram® protects original designs from counterfeiting and imitations.

